<u>E-mail</u>



chaudhry manish <ch.manish.yadav@gmail.com>

Uttar Pradesh Board of Technical Education Guru

PCI Approval letter

Registrar PCI <registrar@pci.nic.in> To: ch.manish.yadav@gmail.com, shailendrasinghsmpc@gmail.com, secretarybte@gmail.com Sat, Jul 8, 2023 at 4:17 PM

Ref.No. PCI-7942/2022

The Principal ANKUR COLLEGE OF PHARMACY 317, LALAKPUR CHHIBRAMAU KANNAUJ, LALAKPUR CHHIBRAMAU KANNAUJ, KANNAUJ, 209721

Email:- ch.manish.yadav@gmail.com ch.manish.yadav@gmail.com shailendrasinghsmpc@gmail.com

The Secretary

Govind Singh Marg Lucknow Uttar Pradesh Email ID - secretarybte@gmail.com

Subject: **PCI Approval letter**

Sir/Madam

With reference to the subject cited above. I am directed to convey the decisions of PCI as under-

Institution's Name and ID	Examining Authority	Decision
ANKUR COLLEGE OF PHARMACY 317, LALAKPUR CHHIBRAMAU KANNAUJ, LALAKPUR CHHIBRAMAU KANNAUJ, KANNAUJ, 209721 PCI-7942 D.Pharm	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	"The deficiencies pointed out in the earlier inspection stands rectified, however as the additional deficiencies pointed out in the latest inspection could not be taken into account, therefore the Institute is granted permission for the Academic Year 2023-24 , however subject to the Principal of the Institution submitting an undertaking on an affidavit within 15 days to the effect that the deficiencies pointed out in the latest inspection stands rectified. Upon submission of the undertaking on affidavit the Institution may be re-inspected later on and the institution would be required to submit compliance in respect of all the deficiencies and the permission for next academic year would be given only if all the deficienciesget rectified." 1. Neither Principal nor Staff were called upon multiple request for introduction. 2. Entrance and the way to institution is not proper, ramp is unavailable. 3. Institute building is very old and not well maintained (Classrooms doesn't have basic facilities like lights, fans, flooring

https://mail.google.com/mail/u/0/?ui=2&ik=830e16d795&view=Ig&permmsgid=msg-f:1770849137220373114

etc.) 4. Labs are not furnished (No Concrete slab, Using curtains to cover platform) with no basic equipments and facilities. 5. Machine room doesn't have grouting and machines are kept on tables and chairs. 6. Only one Computer is available in Computer Room along with a printer. 7. Library doesn't have number of books.
D.Pharm Grant approval for 2023-2024 academic session for 60 admissions for the conduct of 1 st year D.Pharm course.

Yours faithfully

Dr.Narendra Gowekar Advisor Approval Bureau - PCI

