



NAME OF TRUST :		SURYA TECHNICAL/EDUCATION		
NAME OF THE INSTITUTE :		SURYA COLLEGE OF PHARMACY		
SITUATION :		VILL: MIZRGANI, TQ:BIH-KHALLABAD, DISTT: NANJANAGAR		
PROGRAMME: DIPHARMA				
G.A. NO - 300M/305/6/21				
TOTAL AREA OF LAND = 6100.00 SQ.M				
SCHEDULE OF OPENINGS				
S.NO.	TYPE	WIDTH	BILL LVL.	UNTEL LVL.
1.	D'	1800	0.00	2550
2.	D1	1200	0.00	2550
3.	D2	800	00	2550
AREA STATEMENTS				SQ. MT.
1 TOTAL PLOT AREA				6100.00
BLOCK-A				
2 COVD AREA ON G.F				1729.46
3 COVD AREA ON F.F				1729.46
4 COVD AREA ON S.F				1729.46
GRAND TOTAL				5188.38
GROUND COVERAGE % = 21.35 %				
ACHIEVED P.A.R. = 0.64				
FUNCTIONAL AREA				
CLASS ROOM - 1 = 85.08 SQ.M				
CLASS ROOM - 2 = 85.08 SQ.M				
LABORATORY - 1 = 85.08 SQ.M				
LABORATORY - 2 = 85.08 SQ.M				
LABORATORY - 3 = 85.08 SQ.M				
LABORATORY - 4 = 85.08 SQ.M				
LABORATORY - 5 = 85.08 SQ.M				
LABORATORY - 6 = 85.08 SQ.M				
LABORATORY - 7 = 85.08 SQ.M				
LABORATORY - 8 = 85.08 SQ.M				
LABORATORY - 9 = 85.08 SQ.M				
LABORATORY - 10 = 85.08 SQ.M				
LABORATORY - 11 = 85.08 SQ.M				
LABORATORY - 12 = 85.08 SQ.M				
LABORATORY - 13 = 85.08 SQ.M				
LABORATORY - 14 = 85.08 SQ.M				
LABORATORY - 15 = 85.08 SQ.M				
LABORATORY - 16 = 85.08 SQ.M				
LABORATORY - 17 = 85.08 SQ.M				
LABORATORY - 18 = 85.08 SQ.M				
LABORATORY - 19 = 85.08 SQ.M				
LABORATORY - 20 = 85.08 SQ.M				
LABORATORY - 21 = 85.08 SQ.M				
LABORATORY - 22 = 85.08 SQ.M				
LABORATORY - 23 = 85.08 SQ.M				
LABORATORY - 24 = 85.08 SQ.M				
LABORATORY - 25 = 85.08 SQ.M				
LABORATORY - 26 = 85.08 SQ.M				
LABORATORY - 27 = 85.08 SQ.M				
LABORATORY - 28 = 85.08 SQ.M				
LABORATORY - 29 = 85.08 SQ.M				
LABORATORY - 30 = 85.08 SQ.M				
LABORATORY - 31 = 85.08 SQ.M				
LABORATORY - 32 = 85.08 SQ.M				
LABORATORY - 33 = 85.08 SQ.M				
LABORATORY - 34 = 85.08 SQ.M				
LABORATORY - 35 = 85.08 SQ.M				
LABORATORY - 36 = 85.08 SQ.M				
LABORATORY - 37 = 85.08 SQ.M				
LABORATORY - 38 = 85.08 SQ.M				
LABORATORY - 39 = 85.08 SQ.M				
LABORATORY - 40 = 85.08 SQ.M				
LABORATORY - 41 = 85.08 SQ.M				
LABORATORY - 42 = 85.08 SQ.M				
LABORATORY - 43 = 85.08 SQ.M				
LABORATORY - 44 = 85.08 SQ.M				
LABORATORY - 45 = 85.08 SQ.M				
LABORATORY - 46 = 85.08 SQ.M				
LABORATORY - 47 = 85.08 SQ.M				
LABORATORY - 48 = 85.08 SQ.M				
LABORATORY - 49 = 85.08 SQ.M				
LABORATORY - 50 = 85.08 SQ.M				
LABORATORY - 51 = 85.08 SQ.M				
LABORATORY - 52 = 85.08 SQ.M				
LABORATORY - 53 = 85.08 SQ.M				
LABORATORY - 54 = 85.08 SQ.M				
LABORATORY - 55 = 85.08 SQ.M				
LABORATORY - 56 = 85.08 SQ.M				
LABORATORY - 57 = 85.08 SQ.M				
LABORATORY - 58 = 85.08 SQ.M				
LABORATORY - 59 = 85.08 SQ.M				
LABORATORY - 60 = 85.08 SQ.M				
LABORATORY - 61 = 85.08 SQ.M				
LABORATORY - 62 = 85.08 SQ.M				
LABORATORY - 63 = 85.08 SQ.M				
LABORATORY - 64 = 85.08 SQ.M				
LABORATORY - 65 = 85.08 SQ.M				
LABORATORY - 66 = 85.08 SQ.M				
LABORATORY - 67 = 85.08 SQ.M				
LABORATORY - 68 = 85.08 SQ.M				
LABORATORY - 69 = 85.08 SQ.M				
LABORATORY - 70 = 85.08 SQ.M				
LABORATORY - 71 = 85.08 SQ.M				
LABORATORY - 72 = 85.08 SQ.M				
LABORATORY - 73 = 85.08 SQ.M				
LABORATORY - 74 = 85.08 SQ.M				
LABORATORY - 75 = 85.08 SQ.M				
LABORATORY - 76 = 85.08 SQ.M				
LABORATORY - 77 = 85.08 SQ.M				
LABORATORY - 78 = 85.08 SQ.M				
LABORATORY - 79 = 85.08 SQ.M				
LABORATORY - 80 = 85.08 SQ.M				
LABORATORY - 81 = 85.08 SQ.M				
LABORATORY - 82 = 85.08 SQ.M				
LABORATORY - 83 = 85.08 SQ.M				
LABORATORY - 84 = 85.08 SQ.M				
LABORATORY - 85 = 85.08 SQ.M				
LABORATORY - 86 = 85.08 SQ.M				
LABORATORY - 87 = 85.08 SQ.M				
LABORATORY - 88 = 85.08 SQ.M				
LABORATORY - 89 = 85.08 SQ.M				
LABORATORY - 90 = 85.08 SQ.M				
LABORATORY - 91 = 85.08 SQ.M				
LABORATORY - 92 = 85.08 SQ.M				
LABORATORY - 93 = 85.08 SQ.M				
LABORATORY - 94 = 85.08 SQ.M				
LABORATORY - 95 = 85.08 SQ.M				
LABORATORY - 96 = 85.08 SQ.M				
LABORATORY - 97 = 85.08 SQ.M				
LABORATORY - 98 = 85.08 SQ.M				
LABORATORY - 99 = 85.08 SQ.M				
LABORATORY - 100 = 85.08 SQ.M				
LABORATORY - 101 = 85.08 SQ.M				
LABORATORY - 102 = 85.08 SQ.M				
LABORATORY - 103 = 85.08 SQ.M				
LABORATORY - 104 = 85.08 SQ.M				
LABORATORY - 105 = 85.08 SQ.M				
LABORATORY - 106 = 85.08 SQ.M				
LABORATORY - 107 = 85.08 SQ.M				
LABORATORY - 108 = 85.08 SQ.M				
LABORATORY - 109 = 85.08 SQ.M				
LABORATORY - 110 = 85.08 SQ.M				
LABORATORY - 111 = 85.08 SQ.M				
LABORATORY - 112 = 85.08 SQ.M				
LABORATORY - 113 = 85.08 SQ.M				
LABORATORY - 114 = 85.08 SQ.M				
LABORATORY - 115 = 85.08 SQ.M				
LABORATORY - 116 = 85.08 SQ.M				
LABORATORY - 117 = 85.08 SQ.M				
LABORATORY - 118 = 85.08 SQ.M				
LABORATORY - 119 = 85.08 SQ.M				
LABORATORY - 120 = 85.08 SQ.M				
LABORATORY - 121 = 85.08 SQ.M				
LABORATORY - 122 = 85.08 SQ.M				
LABORATORY - 123 = 85.08 SQ.M				
LABORATORY - 124 = 85.08 SQ.M				
LABORATORY - 125 = 85.08 SQ.M				
LABORATORY - 126 = 85.08 SQ.M				
LABORATORY - 127 = 85.08 SQ.M				
LABORATORY - 128 = 85.08 SQ.M				
LABORATORY - 129 = 85.08 SQ.M				
LABORATORY - 130 = 85.08 SQ.M				
LABORATORY - 131 = 85.08 SQ.M				
LABORATORY - 132 = 85.08 SQ.M				
LABORATORY - 133 = 85.08 SQ.M				
LABORATORY - 134 = 85.08 SQ.M				
LABORATORY - 135 = 85.08 SQ.M				
LABORATORY - 136 = 85.08 SQ.M				
LABORATORY - 137 = 85.08 SQ.M				
LABORATORY - 138 = 85.08 SQ.M				
LABORATORY - 139 = 85.08 SQ.M				
LABORATORY - 140 = 85.08 SQ.M				
LABORATORY - 141 = 85.08 SQ.M				
LABORATORY - 142 = 85.08 SQ.M				
LABORATORY - 143 = 85.08 SQ.M				
LABORATORY - 144 = 85.08 SQ.M				
LABORATORY - 145 = 85.08 SQ.M				
LABORATORY - 146 = 85.08 SQ.M				
LABORATORY - 147 = 85.08 SQ.M				
LABORATORY - 148 = 85.08 SQ.M				
LABORATORY - 149 = 85.08 SQ.M				
LABORATORY - 150 = 85.08 SQ.M				
LABORATORY - 151 = 85.08 SQ.M				
LABORATORY - 152 = 85.08 SQ.M				
LABORATORY - 153 = 85.08 SQ.M				
LABORATORY - 154 = 85.08 SQ.M				
LABORATORY - 155 = 85.08 SQ.M				
LABORATORY - 156 = 85.08 SQ.M				
LABORATORY - 157 = 85.08 SQ.M				
LABORATORY - 158 = 85.08 SQ.M				
LABORATORY - 159 = 85.08 SQ.M				
LABORATORY - 160 = 85.08 SQ.M				
LABORATORY - 161 = 85.08 SQ.M				
LABORATORY - 162 = 85.08 SQ.M				
LABORATORY - 163 = 85.08 SQ.M				
LABORATORY - 164 = 85.08 SQ.M				
LABORATORY - 165 = 85.08 SQ.M				
LABORATORY - 166 = 85.08 SQ.M				
LABORATORY - 167 = 85.08 SQ.M				
LABORATORY - 168 = 85.08 SQ.M				
LABORATORY - 169 = 85.08 SQ.M				
LABORATORY - 170 = 85.08 SQ.M				
LABORATORY - 171 = 85.08 SQ.M				
LABORATORY - 172 = 85.08 SQ.M				
LABORATORY - 173 = 85.08 SQ.M				
LABORATORY - 174 = 85.08 SQ.M				
LABORATORY - 175 = 85.08 SQ.M				
LABORATORY - 176 = 85.08 SQ.M				
LABORATORY - 177 = 85.08 SQ.M				
LABORATORY - 178 = 85.08 SQ.M				
LABORATORY - 179 = 85.08 SQ.M				
LABORATORY - 180 = 85.08 SQ.M				
LABORATORY - 181 = 85.08 SQ.M				
LABORATORY - 182 = 85.08 SQ.M				
LABORATORY - 183 = 85.08 SQ.M				
LABORATORY - 184 = 85.08 SQ.M				
LABORATORY - 185 = 85.08 SQ.M				
LABORATORY - 186 = 85.08 SQ.M				
LABORATORY - 187 = 85.08 SQ.M				
LABORATORY - 188 = 85.08 SQ.M				
LABORATORY - 189 = 85.08 SQ.M				
LABORATORY - 190 = 85.08 SQ.M				
LABORATORY - 191 = 85.08 SQ.M				
LABORATORY - 192 = 85.08 SQ.M				
LABORATORY - 193 = 85.08 SQ.M				
LABORATORY - 194 = 85.08 SQ.M				
LABORATORY - 195 = 85.08 SQ.M				
LABORATORY - 196 = 85.08 SQ.M				
LABORATORY - 197 = 85.08 SQ.M				
LABORATORY - 198 = 85.08 SQ.M				
LABORATORY - 199 = 85.08 SQ.M				
LABORATORY - 200 = 85.08 SQ.M				
LABORATORY - 201 = 85.08 SQ.M				
LABORATORY - 202 = 85.08 SQ.M				
LABORATORY - 203 = 85.08 SQ.M				
LABORATORY - 204 = 85.08 SQ.M				
LABORATORY - 205 = 85.08 SQ.M				
LABORATORY - 206 = 85.08 SQ.M				
LABORATORY - 207 = 85.08 SQ.M				
LABORATORY - 208 = 85.08 SQ.M				
LABORATORY - 209 = 85.08 SQ.M				
LABORATORY - 210 = 85.08 SQ.M				
LABORATORY - 211 = 85.08 SQ.M				
LABORATORY - 212 = 85.08 SQ.M				
LABORATORY - 213 = 85.08 SQ.M				
LABORATORY - 214 = 85.08 SQ.M				
LABORATORY - 215 = 85.08 SQ.M				
LABORATORY - 216 = 85.08 SQ.M				
LABORATORY - 217 = 85.08 SQ.M				
LABORATORY - 218 = 85.08 SQ.M				
LABORATORY - 219 = 85.08 SQ.M				
LABORATORY - 220 = 85.08 SQ.M				
LABORATORY - 221 = 85.08 SQ.M				
LABORATORY - 222 = 85.08 SQ.M				
LABORATORY - 223 = 85.08 SQ.M				
LABORATORY - 224 = 85.08 SQ.M				
LABORATORY - 225 = 85.08 SQ.M				
LABORATORY - 226 = 85.08 SQ.M				
LABORATORY - 227 = 85.08 SQ.M				
LABORATORY - 228 = 85.08 SQ.M				
LABORATORY - 229 = 85.08 SQ.M				
LABORATORY - 230 = 85.08 SQ.M				
LABORATORY - 231 = 85.08 SQ.M				
LABORATORY - 232 = 85.08 SQ.M				
LABORATORY - 233 = 85.08 SQ.M				
LABORATORY - 234 = 85.08 SQ.M				
LABORATORY - 235 = 85.08 SQ.M				
LABORATORY - 236 = 85.08 SQ.M				
LABORATORY - 237 = 85.08 SQ.M				
LABORATORY - 238 = 85.08 SQ.M				
LABORATORY - 239 = 85.08 SQ.M				
LABORATORY - 240 = 85.08 SQ.M				
LABORATORY - 241 = 85.08 SQ.M				
LABORATORY - 242 = 85.08 SQ.M				
LABORATORY - 243 = 85.08 SQ.M				
LABORATORY - 244 = 85.08 SQ.M				
LABORATORY - 245 = 85.08 SQ.M				
LABORATORY - 246 = 85.08 SQ.M				
LABORATORY - 247 = 85.08 SQ.M				
LABORATORY - 248 = 85.08 SQ.M				
LABORATORY - 249 = 85.08 SQ.M				
LABORATORY - 250 = 85.08 SQ.M				
LABORATORY - 251 = 85.08 SQ.M				
LABORATORY - 252 = 85.08 SQ.M				
LABORATORY - 253 = 85.08 SQ.M				
LABORATORY - 254 = 85.08 SQ.M				
LABORATORY - 255 = 85.08 SQ.M				
LABORATORY - 256 = 85.08 SQ.M				
LABORATORY - 257 = 85.08 SQ.M				
LABORATORY - 258 = 85.08 SQ.M				
LABORATORY - 259 = 85.08 SQ.M				
LABORATORY - 260 = 85.08 SQ.M				
LABORATORY - 261 = 85.08 SQ.M				
LABORATORY - 262 = 85.08 SQ.M				
LABORATORY - 263 = 85.08 SQ.M				
LABORATORY - 264 = 85.08 SQ.M				
LABORATORY - 265 = 85.08 SQ.M				
LABORATORY - 266 = 85.08 SQ.M				
LABORATORY - 267 = 85.08 SQ.M				
LABORATORY - 268 = 85.08 SQ.M				
LABORATORY - 269 = 85.08 SQ.M				
LABORATORY - 270 = 85.08 SQ.M				
LABORATORY - 271 = 85.08 SQ.M				
LABORATORY - 272 = 85.08 SQ.M				
LABORATORY - 273 = 85.08 SQ.M				
LABORATORY - 274 = 85.08 SQ.M				
LABORATORY - 275 = 85.08 SQ.M				
LABORATORY - 276 = 85.08 SQ.M				
LABORATORY - 277 = 85.08 SQ.M				
LABORATORY - 278 = 85.08 SQ.M				
LABORATORY - 279 = 85.08 SQ.M				
LABORATORY - 280 = 85.08 SQ.M				
LABORATORY - 281 = 85.08 SQ.M				
LABORATORY - 282 = 85.08 SQ.M				
LABORATORY - 283 = 85.08 SQ.M				
LABORATORY - 284 = 85.08 SQ.M				
LABORATORY - 285 = 85.08 SQ.M				
LABORATORY - 286 = 85.08 SQ.M				
LABORATORY - 287 = 85.08 SQ.M				
LABORATORY - 288 = 85.08 SQ.M				
LABORATORY - 289 = 85.08 SQ.M				
LABORATORY - 290 = 85.08 SQ.M				
LABORATORY - 291 = 85.08 SQ.M				
LABORATORY - 292 = 85.08 SQ.M				
LABORATORY - 293 = 85.08 SQ.M				
LABORATORY - 294 = 85.08 SQ.M				
LABORATORY - 295 = 85.08 SQ.M				