


The following table shows the
 results of the test conducted on
 the material under consideration.
 The test was carried out in
 accordance with the standard
 procedure for the purpose of
 determining the strength of the
 material.

The test results are as follows:
 The yield strength of the material
 was found to be 250 N/mm².
 The ultimate tensile strength
 was found to be 450 N/mm².
 The elongation at break was
 found to be 25%.

1000
 500
 0



The diagram illustrates the cross-section of the material under test. The central core is surrounded by an inner layer, which is in turn surrounded by an outer layer. The diagram shows the distribution of stress and strain across the different layers during the test.

The test results show that the material has a yield strength of 250 N/mm² and an ultimate tensile strength of 450 N/mm². The elongation at break is 25%.

The test was conducted in accordance with the standard procedure for the purpose of determining the strength of the material.

... a

... ..



... ..



पुस्तक संख्या: 1000
पृष्ठ संख्या: 100
वर्ष: 1950
पुस्तकालय: ...

पुस्तक संख्या: 1000
पृष्ठ संख्या: 100
वर्ष: 1950
पुस्तकालय: ...

पुस्तक संख्या: 1000

पुस्तक संख्या: 1000

पुस्तक संख्या: 1000
पृष्ठ संख्या: 100
वर्ष: 1950
पुस्तकालय: ...



