

STATE: Uttar Pradesh



DATED: 06/12/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
39 Ram Sumer Private ITI, Ganja, Dist. Faizabad Uttar Pradesh DGET-6/24/230/2012-TC	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-21/7/2012 SIR-4/10/2012 w.e.f.Feb 2013	
40 Adarsh Private ITI, Vill & Post-Bendo, Karchhana, Dist-Allahabad Uttar Pradesh DGET-6/24/90/2010-TC (Vol-II)	Electrician Fitter	Addl. 6(2+2+2) Addl. 4(2+2)	Addl. 6(2+2+2) Addl. 4(2+2)	Addl. 6(2+2+2) Total 16(6+6+4) Addl. 4(2+2) Total 10(4+4+2)	SCIR-31/7/2012 SIR-4/10/2012 w.e.f.Feb 2013	
41 Narayan Private ITI, Vill & Post-Bansl, Karwar Road, Sadar, Dist-Sultanpur Pin-228001 Uttar Pradesh DGET-6/24/262/2012-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-28/7/2012 SIR-8/10/2012 w.e.f.Feb 2013	
42 Baba B.N.M National Private ITI, Vill-Gaur, Post-Anauni, Dist-Ghazipur Pin-233223 Uttar Pradesh DGET-6/24/361/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-17/8/2012 SIR-5/10/2012 w.e.f.Feb 2013	

-9-

(Signature)
Principal
Adarsh Private ITI
Bendo Karchana, Allahabad, U.P.

DR. B. K. DHIMAN
Principal Training Officer
State Institute of Technical Education
Ministry of Labour & Employment
New Delhi