Inspection Report

Institute Information

Institute Name / Institute ID Divya College Of Pharmacy Maharajganj / PCI-3180

State UTTAR PRADESH Institute Type existing

Courses Applied D.Pharm, B.Pharm Name of the Inspectors sangeeta asija, Debashisha Panda

Inspection Date 05-07-2022

General Information

Quality Criteria	Comments
Approval of Course Affiliation Authority	Available
Details of Pharmacy Educations Regulatory Charges for Affiliation Paid	Available
Admission details for the Past Three Years	Available
Present Approval Status (if pending)	Available
Proof of follow up action	Available
Academic Results	Available

Infrastructure

Quality Criteria	Comments
Independent Building	Available
Separate Campus	Available
Availability of Land	Available
Own Building	Available
Class Room	Available
Principal / Staff Room etc.	Available
Approval Building Plan	Available
Instructional Area	Available
Store Room - 1	Available
Store Room - 1	Available
First aid Room	Available
Museum	Available
Animal house	Not Available
Auditorium	Available
Seminar Hall	Available
Herbal Garden (Desirable)	Available
Girl's Common Room (Essential)	Available
Boy's Common Room (Essential)	Available
Toilet Blocks for Boys	Available
Toilet Blocks for Girls	Available
Drinking Water facility Water Cooler (Essential)	Available
Boy's Hostel (Desirable)	Available
Girls's Hostel (Desirable)	Available
Power Backup Provision	Available
Computer and other Facilities	Available
Amenities	Available

Curriculum

Quality Criteria	Comments
Prescribed Number of Classes	Available
Number of Classes on Theory	Available
Number of Classes on Practical's	Available
Number of Teaching Staff	Available
Percentage of Faculty Retention	Available
Number of Non - Teaching Staff	Available
Course wise Faculty	Available
Faculty Workload	Available

Faculty Info

S.No	Faculty Name	Designation	Qualification	Teaching Experience	Photo	Comments
------	--------------	-------------	---------------	---------------------	-------	----------

1	ATUL KUMAR GAUN	Lecturer	B.Pharm	4 years 1 mon 28 days		No
2	ABHILASH SRIVASTAVA	Lecturer	B.Pharm	3 years		No
3	SHANI KUMAR	Lecturer	B.Pharm	7 years 2 mons 4 days	A .	Yes
4	ASHOK KUMAR YADAV	Lecturer	M.Pharm Pharmaceutics	3 years 7 mons 2 days		Yes
5	Pushpanjali Gautam	Assistant Professor	B.Pharm, M.Pharm Pharmacology	2 years 8 mons 1 day		Yes
6	DHARMENDRA HARIJAN	Lecturer	B.Pharm	4 years 11 mons 19 days		Yes
7	Digvijay nath kannaujiya	Lecturer	B.Pharm	8 years 4 days		Yes
			Finance			

Quality Criteria	Comments
Non - Recurring Budget details	Available
Recurring Budget details	Available
Income and Expenditure details	Available

Quality Criteria	Comments
Course Wise Books and Journals	Available
Other Facilities	Available
R D	Not Available
Nubers of Teaching Staff	Available
Research	Not Available
Department wise course Equipments	Available
Co-Curricular, Extra Curricular Extension Activities	Available

Physical Equipment

S.No	Name of the Department	Name of the Equipment	Equipment Status
1	Dept of Pharmaceutical Chemistry	Reflux flask and condenser double / triple necked	Available
2	Dept of Pharmaceutical Chemistry	Analytical Balances for demonstration	Available
3	Dept of Pharmaceutical Chemistry	Arsenic Limit Test Apparatus	Available
4	Dept of Pharmaceutical Chemistry	Atomic Absorption and Emission spectrophotometer (Desirable)	Not Available

5	Dept of Pharmaceutical Chemistry	Atomic model set	Available
6	Dept of Pharmaceutical Chemistry	Biochemistry Analyzer (Desirable)	Available
7	Dept of Pharmaceutical Chemistry	Carbon, Hydrogen, Nitrogen Analyzer (Desirable)	Not Available
8	Dept of Pharmaceutical Chemistry	Colorimeter	Available
9	Dept of Pharmaceutical Chemistry	Conductivity meter	Available
10	Dept of Pharmaceutical Chemistry	Copper water bath	Available
11	Dept of Pharmaceutical Chemistry	Deep Freezer (Desirable)	Available
12	Dept of Pharmaceutical Chemistry	Digital balance 10mg sensitivity	Available
13	Dept of Pharmaceutical Chemistry	Digital Balance (1mg sensitivity)	Not Available
14	Dept of Pharmaceutical Chemistry	Digital pH meter	Available
15	Dept of Pharmaceutical Chemistry	Distillation Unit	Available
16	Dept of Pharmaceutical Chemistry	Electronic balance	Available
17	Dept of Pharmaceutical Chemistry	Electronic water bath(12 holes)	Available
18	Dept of Pharmaceutical Chemistry	Flame Photometer	Available
19	Dept of Pharmaceutical Chemistry	Flourimeter	Available
20	Dept of Pharmaceutical Chemistry	Hot plates	Available
21	Dept of Pharmaceutical Chemistry	HPLC	Not Available
22	Dept of Pharmaceutical Chemistry	HPTLC (Desirable)	Not Available
23	Dept of Pharmaceutical Chemistry	Ion- Exchanger	Not Available
24	Dept of Pharmaceutical Chemistry	Lyophilizer (Desirable)	Not Available
25	Dept of Pharmaceutical Chemistry	Magnetic Stirrers with Thermostat	Available
26	Dept of Pharmaceutical Chemistry	Mechanical Stirrers	Available
27	Dept of Pharmaceutical Chemistry	Microwave Oven	Available
28	Dept of Pharmaceutical Chemistry	Muffle Furnace	Available
29	Dept of Pharmaceutical Chemistry	Nephelo Turbidity meter	Available
30	Dept of Pharmaceutical Chemistry	Nessler's Cylinders	Available
31	Dept of Pharmaceutical Chemistry	Oven	Available
32	Dept of Pharmaceutical Chemistry	Periodic table chart	Available
33	Dept of Pharmaceutical Chemistry	Photoelectric colorimeter	Available
34	Dept of Pharmaceutical Chemistry	Polarimeter	Available
35	Dept of Pharmaceutical Chemistry	Potentiometer Reflux flack and condenses single Necked	Available
36	Dept of Pharmaceutical Chemistry	Reflux flask and condenser single Necked	Available Available
37	Dept of Pharmaceutical Chemistry Dept of Pharmaceutical Chemistry	Refractometer Refrigerator	Available Available
39	Dept of Pharmaceutical Chemistry Dept of Pharmaceutical Chemistry	Suction pumps	Available
40	Dept of Pharmaceutical Chemistry	UV- Visible Spectrophotometer	Available
40	Dept of Pharmaceutical Chemistry Dept of Pharmaceutical Chemistry	Vacuum Pump	Available
42	Dept of Pharmacology	Actophotometer	Available
43	Dept of Pharmacology Dept of Pharmacology	Aerators	Available
44	Dept of Pharmacology Dept of Pharmacology	Analgesiometer (eddy's hot plate and radiant heat methods)	Available
45	Dept of Pharmacology	Cell analyzer	Available
46	Dept of Pharmacology	Centrifuge	Available
47	Dept of Pharmacology	Convulsiometer	Available
48	Dept of Pharmacology	Different Contraceptive Devices and Models	Available
49	Dept of Pharmacology	Digital glucometer	Available
50	Dept of Pharmacology	Digital pH meter	Available
51	Dept of Pharmacology	Dissection tray & boards	Available
52	Dept of Pharmacology	Folin- wu tubes	Not Available
53	Dept of Pharmacology	Haemocytometer with Micropipettes	Available
54	Dept of Pharmacology	Hemostatic artery forceps	Available
55	Dept of Pharmacology	Histamine chamber	Available
56	Dept of Pharmacology	Hutchinson's spirometer	Available
57	Dept of Pharmacology	Hypodermic syringes & needles Size 15,24,26G	Available
58	Dept of Pharmacology	Levers , cannula	Available
59	Dept of Pharmacology	Lucas moist chamber	Available
60	Dept of Pharmacology	Mercury thermometer	Available
61	Dept of Pharmacology	Metabolic cage	Available
62	Dept of Pharmacology	Microscopes	Available
63	Dept of Pharmacology	Models for various organs	Available
64	Dept of Pharmacology	Muscle electrodes	Available
65	Dept of Pharmacology	Myographic lever	Available

66	Dept of Pharmacology	Permanent Slides for various tissues	Available
67	Dept of Pharmacology	Perspex bath assembly (single unit)	Available
68	Dept of Pharmacology	Plethysmograph	Available
69	Dept of Pharmacology	Pole climbing apparatus	Available
70	Dept of Pharmacology	Pregnancy diagnosis kit	Available
71	Dept of Pharmacology	Rotarod	Available
72	Dept of Pharmacology	Sahli's haemocytometer	Available
73	Dept of Pharmacology	Sherrington drum	Available
74	Dept of Pharmacology	Sherrington's kymograph machine / polyrite	Available
75	Dept of Pharmacology	Skeleton and bones	Available
76	Dept of Pharmacology	Software packages for experiment	Available
77	Dept of Pharmacology	Specimen for various organs and systems	Available
78	Dept of Pharmacology	Spygmomanometer	Available
79	Dept of Pharmacology	Standard graph of various drug	Available
80	Dept of Pharmacology	Stereotaxic apparatus	Not Available
81	Dept of Pharmacology	Stethoscope	Available
82	Dept of Pharmacology	Stimulator	Available

Deviation Observed

purchase to be done

Does it conform to SOP standards

Yes

Remarks of centre in charge

will purchase

Inspecting Official remarks

ok

Quality Criteria	Comments
Anti - Ragging cell	Available
Gender Sensitization cell	Available
Anti - Discrimination cell	Available
Placement and Carrer Guidance cell	Available
College Attached Hospital	Not Available
Academic Activities of Students at Hospital	Available

Inspector Pic At College Entrance



Inspector Pic At Lab(Atleast One Lab)



Inspector Pic At Library



Inspector Pic With Higher Authority



Principal Appointed or Not

Photo of Appointment Letter

Yes

Comments

principal chamber photo with principal on seat uploaded

Age Proof



Basic Records Availability

Course	D.Pharm	Year/ Semester	0
Candidate Name	Upendra kumar		
Admission Form	Yes		
Photo ID Proof	Yes		

Proof of Poor Yes Proof for Category (SC/ST) Yes

Proof for Minority No

Proof for PWD No

Enrollment Application Form SF-5.1E4

Others

Teaching Quality

D.Pharm Course Is the faculty facing the class No Is the faculty addressing every candidate No Is the faculty covering the entire session as per activity No cum lesson planner Is the faculty maintaining class discipline No Is the faculty confident while communicating to the class Is the faculty teaching without referring to the teaching No material every time Is the faculty using audio- visual aids No

Is the faculty making the session interactive/ No participatory

Is faculty using stories, pictures, role plays and examples

Course

khushboo kumari **Candidate Name**

Was the candidate present on the day of assessment yes Year / Semester

Comments

05-Jul-2022 04:30:44 PM 27.1194436,83.4344687

Review the CCTV footage and state whether candidate yes Comments

was present in the test

yes



Comments

Yes

No

D.Pharm

Yes

0

yes

yes

yes

Was there any malpractices noticed during the test

Were candidates seriously writing the test



		Inspection (Checklist	
		Inspection (one can be	
Laboratories are furnished	1			
Lab Equipment is Functional	yes		Comments	yes
		05-W-2022-07-20-18 pm 27-1194418,83-434405		
Equipments are arranged properly	yes		Comments	yes
		05-JJ-2022 07-20-44 pm 27-1194418,83-4344675		
Books are Available in the library for each course	yes		Comments	yes
Shortcomings Reflected in the last inspection are	yes	05.452072.07.18-27 pm 22.119243(0,0.54)544.675	Comments	no shortcoming
compiled	•			
Facilities for conducting the practicals are available	yes	10542-2022-207-16-40-pm 25-11-9-44-1-46-4075 The results of the r	Comments	yes
Class rooms Furnished	yes	05-M-2022 07-21-18 pm 27-1194418,83-4344675	Comments	yes
		05-M2022 07-21-50 pm 27.1194418,83.4344675		
Laboratories are well lit and ventilated	yes		Comments	yes
Basic amenities and services like exhaust fan, fuming	yes	05-Ja-2022 07-22-26 pm 22-119-4418,83-43-4675	Comments	yes
chambers etc. to reduce the pollution are provided				•
		05.452022.07.22-51 pm 27.1194418,83.4344675		



Comments

yes

Water tabs and drainage facilities available

yes

For B.Pharm course

Fixed fields	Comments by Inspectors (To be verified from the old record)			
a) Whether prescribed 150 hours training is imparted spread over a period of not less than 1 month.	No			
b) Training is imparted in - 1. Pharmacy Practice (Hospital / Community Pharmacy) 2. Pharmaceutical Industry. Manufacturing Quality Control Quality Assurance R&D	Pharmacy Practice (Hospital or Community Pharmacy)			

Audit report and Fund allocation

Fixed fields	Budget provision(to be filled by Inspectors) (in Rs. per month)
Total No. of faculty	11
Total No. of students in all pharmacy courses (in all years)	130
Salary to faculty	387150
Purchase of equipments	as per norms
Purchase of glassware and chemicals	as per norms
Gas, water and electric supply	available, checked, available, checked
Telephone, Internet expenditure, stationary	available, yes, done, available
Basic amenities like drinking water, toilets	available, avsilable
Maintenance of building and equipments	yes and upgradation done
Any other	nothing

Inspector Profile

Inspector Name	Photo	Signature
sangeeta asija, Debashisha Panda	VYA COLLEGE OF PHARMAC Chebral Residence of P	SASIFA