

Inspection Report

Institute Information

Institute Name / Institute ID	Veerkhanda Pharmacy College / PCI-2853		
State	UTTAR PRADESH	Institute Type	existing
Courses Applied	D.Pharm	Name of the Inspectors	Prof Munish Kumar, Abhijeet Ashok Bidkar
Inspection Date	15-07-2022		

General Information

Quality Criteria	Comments
Approval of Course Affiliation Authority	Available
Details of Pharmacy Educations Regulatory Charges for Affiliation Paid	Available
Admission details for the Past Three Years	Available
Present Approval Status (if pending)	Available
Proof of follow up action	Available
Academic Results	Available

Infrastructure

Quality Criteria	Comments
Independent Building	Available
Separate Campus	Available
Availability of Land	Available
Own Building	Available
Class Room	Available
Principal / Staff Room etc.	Available
Approval Building Plan	Available
Instructional Area	Available
Store Room - 1	Available
Store Room - 1	Available
First aid Room	Available
Museum	Available
Animal house	Not Available
Auditorium	Not Available
Seminar Hall	Available
Herbal Garden (Desirable)	Available
Girl's Common Room (Essential)	Available
Boy's Common Room (Essential)	Available
Toilet Blocks for Boys	Available
Toilet Blocks for Girls	Available
Drinking Water facility Water Cooler (Essential)	Available
Boy's Hostel (Desirable)	Not Available
Girls's Hostel (Desirable)	Not Available
Power Backup Provision	Available
Computer and other Facilities	Available
Amenities	Available

Curriculum

Quality Criteria	Comments
Prescribed Number of Classes	Available
Number of Classes on Theory	Available
Number of Classes on Practical's	Available
Number of Teaching Staff	Available
Percentage of Faculty Retention	Not Available
Number of Non - Teaching Staff	Available
Course wise Faculty	Available
Faculty Workload	Available

Faculty Info

S.No	Faculty Name	Designation	Qualification	Teaching Experience	Photo	Comments
------	--------------	-------------	---------------	---------------------	-------	----------

1	RAJESH KUMAR SINHA	Assistant Professor	B.Pharm	8 years 17 days		Yes
2	ALOK NATH	Assistant Professor	M.Pharm Pharmaceutics	8 years 7 mons 9 days		No
3	HARSH KUMAR GAUTAM	Assistant Professor	B.Pharm	2 years 9 mons 9 days		Yes
4	SUMIT KUMAR	Assistant Professor	B.Pharm	8 years 7 mons 9 days		Yes
5	SANJEEV KUMAR	Assistant Professor	B.Pharm	6 years 3 mons 9 days		No
6	deepika rathore	Lecturer	B.Pharm	3 years 7 mons 9 days		No
7	Anupam	Associate Professor	M.Pharm Pharmaceutical Chemistry	10 mons 10 days		No
8	MAYANK KUMAR	Professor	B.Pharm	4 years 10 mons 9 days		Yes
9	Mohit kumar	Professor	B.Pharm	5 years 1 mon 9 days		Yes
10	Surjeet singh	Lecturer	B.Pharm	4 years 10 mons 9 days		Yes

Finance

Quality Criteria	Comments
Non - Recurring Budget details	Available
Recurring Budget details	Available
Income and Expenditure details	Available

Library

Quality Criteria	Comments
Course Wise Books and Journals	Available
Other Facilities	Available
R D	Not Available
Nubers of Teaching Staff	Available
Research	Not Available
Department wise course Equipments	Available
Co-Curricular, Extra Curricular Extension Activities	Available

Physical Equipment

S.No	Name of the Department	Name of the Equipment	Equipment Status
1	Dept of Pharmaceutics	Ampoule sealing machine	Not Available
2	Dept of Pharmaceutics	Ampoules washing machine	Available
3	Dept of Pharmaceutics	Antibiotic Zone Rader	Available
4	Dept of Pharmaceutics	Aseptic cabinet	Available
5	Dept of Pharmaceutics	Autoclave	Available
6	Dept of Pharmaceutics	Ball mill	Available
7	Dept of Pharmaceutics	BOD Incubator	Not Available
8	Dept of Pharmaceutics	Brookfileld viscometer	Available
9	Dept of Pharmaceutics	Bulk density	Available
10	Dept of Pharmaceutics	Capsule counter	Available
11	Dept of Pharmaceutics	Capsule filling machine	Available
12	Dept of Pharmaceutics	Centrifuge	Available
13	Dept of Pharmaceutics	Clarity test apparatus	Available
14	Dept of Pharmaceutics	Colony Counter	Available
15	Dept of Pharmaceutics	Desiccators	Available
16	Dept of Pharmaceutics	Digital balance	Available
17	Dept of Pharmaceutics	Digital pH meter	Available
18	Dept of Pharmaceutics	Double cone blender	Not Available
19	Dept of Pharmaceutics	Extractive Distillator	Not Available
20	Dept of Pharmaceutics	Franz Diffusion cell	Not Available
21	Dept of Pharmaceutics	Friability test apparatus	Available
22	Dept of Pharmaceutics	Hardness tester	Available
23	Dept of Pharmaceutics	Homoginizer	Available
24	Dept of Pharmaceutics	Hot Air Oven	Available
25	Dept of Pharmaceutics	Hot plate	Available
26	Dept of Pharmaceutics	Humidity Chambers	Not Available
27	Dept of Pharmaceutics	Laminar Air Flow	Available
28	Dept of Pharmaceutics	Magnetic stirrer 500ml & 1 Litr capacity	Available
29	Dept of Pharmaceutics	Mechanical Stirrer	Available
30	Dept of Pharmaceutics	Micropipette single & Multi Channeled	Available
31	Dept of Pharmaceutics	Microscope	Available
32	Dept of Pharmaceutics	Milli Pore Filter	Available
33	Dept of Pharmaceutics	Moisture balance	Not Available
34	Dept of Pharmaceutics	Mortar and Pestle	Available
35	Dept of Pharmaceutics	Ointment filling machine	Not Available
36	Dept of Pharmaceutics	Refrigerator	Available
37	Dept of Pharmaceutics	Sieve Shaker Machine	Available
38	Dept of Pharmaceutics	Stage and eye piece micrometers	Available
39	Dept of Pharmaceutics	Standard sieves no. 8, 10, 12, 22, 44, 66, 80	Available
40	Dept of Pharmaceutics	Steam distillation still	Available
41	Dept of Pharmaceutics	Sterility tester	Available
42	Dept of Pharmaceutics	Suppository mold	Available
43	Dept of Pharmaceutics	Tablet coating machine	Not Available
44	Dept of Pharmaceutics	Tablet Disintegration apparatus	Not Available
45	Dept of Pharmaceutics	Tablet Dissolution test apparatus	Not Available
46	Dept of Pharmaceutics	Tablet punching machine	Available
47	Dept of Pharmaceutics	Tincture press	Available
48	Dept of Pharmaceutics	Tray dryer	Not Available
49	Dept of Pharmaceutics	Ultra Sonicator	Not Available

50	Dept of Pharmaceutics	Vacuum Distillator	Available
51	Dept of Pharmaceutics	Vacuum pump	Available
52	Dept of Pharmaceutics	Water bath	Available
53	Dept of Pharmaceutical Chemistry	Photoelectric colorimeter	Not Available
54	Dept of Pharmaceutical Chemistry	Polarimeter	Not Available
55	Dept of Pharmaceutical Chemistry	Analytical Balances for demonstration	Available
56	Dept of Pharmaceutical Chemistry	Arsenic Limit Test Apparatus	Available
57	Dept of Pharmaceutical Chemistry	Atomic Absorption and Emission spectrophotometer (Desirable)	Not Available
58	Dept of Pharmaceutical Chemistry	Atomic model set	Available
59	Dept of Pharmaceutical Chemistry	Biochemistry Analyzer (Desirable)	Not Available
60	Dept of Pharmaceutical Chemistry	Carbon, Hydrogen, Nitrogen Analyzer (Desirable)	Not Available
61	Dept of Pharmaceutical Chemistry	Colorimeter	Available
62	Dept of Pharmaceutical Chemistry	Conductivity meter	Available
63	Dept of Pharmaceutical Chemistry	Copper water bath	Available
64	Dept of Pharmaceutical Chemistry	Deep Freezer (Desirable)	Not Available
65	Dept of Pharmaceutical Chemistry	Digital balance 10mg sensitivity	Available
66	Dept of Pharmaceutical Chemistry	Digital Balance (1mg sensitivity)	Available
67	Dept of Pharmaceutical Chemistry	Digital pH meter	Available
68	Dept of Pharmaceutical Chemistry	Distillation Unit	Available
69	Dept of Pharmaceutical Chemistry	Electronic balance	Available
70	Dept of Pharmaceutical Chemistry	Electronic water bath(12 holes)	Available
71	Dept of Pharmaceutical Chemistry	Flame Photometer	Not Available
72	Dept of Pharmaceutical Chemistry	Flourimeter	Not Available
73	Dept of Pharmaceutical Chemistry	Hot plates	Available
74	Dept of Pharmaceutical Chemistry	HPLC	Not Available
75	Dept of Pharmaceutical Chemistry	HPTLC (Desirable)	Not Available
76	Dept of Pharmaceutical Chemistry	Ion- Exchanger	Available
77	Dept of Pharmaceutical Chemistry	Lyophilizer (Desirable)	Not Available
78	Dept of Pharmaceutical Chemistry	Magnetic Stirrers with Thermostat	Available
79	Dept of Pharmaceutical Chemistry	Mechanical Stirrers	Available
80	Dept of Pharmaceutical Chemistry	Microwave Oven	Available
81	Dept of Pharmaceutical Chemistry	Muffle Furnace	Available
82	Dept of Pharmaceutical Chemistry	Nephelo Turbidity meter	Available
83	Dept of Pharmaceutical Chemistry	Nessler's Cylinders	Available
84	Dept of Pharmaceutical Chemistry	Oven	Available
85	Dept of Pharmaceutical Chemistry	Periodic table chart	Available
86	Dept of Pharmaceutical Chemistry	Potentiometer	Available
87	Dept of Pharmaceutical Chemistry	Reflux flask and condenser double / triple necked	Available
88	Dept of Pharmaceutical Chemistry	Reflux flask and condenser single Necked	Available
89	Dept of Pharmaceutical Chemistry	Refractometer	Available
90	Dept of Pharmaceutical Chemistry	Refrigerator	Available
91	Dept of Pharmaceutical Chemistry	Suction pumps	Available
92	Dept of Pharmaceutical Chemistry	UV- Visible Spectrophotometer	Not Available
93	Dept of Pharmaceutical Chemistry	Vacuum Pump	Available
94	Dept of Pharmacology	Actophotometer	Not Available
95	Dept of Pharmacology	Aerators	Available
96	Dept of Pharmacology	Analgesiometer (eddy's hot plate and radiant heat methods)	Available
97	Dept of Pharmacology	Cell analyzer	Not Available
98	Dept of Pharmacology	Centrifuge	Available
99	Dept of Pharmacology	Convulsiometer	Not Available
100	Dept of Pharmacology	Different Contraceptive Devices and Models	Available
101	Dept of Pharmacology	Digital glucometer	Available
102	Dept of Pharmacology	Digital pH meter	Available
103	Dept of Pharmacology	Dissection tray & boards	Available
104	Dept of Pharmacology	Folin- wu tubes	Available
105	Dept of Pharmacology	Haemocytometer with Micropipettes	Available
106	Dept of Pharmacology	Hemostatic artery forceps	Available
107	Dept of Pharmacology	Histamine chamber	Not Available
108	Dept of Pharmacology	Hutchinson's spirometer	Available
109	Dept of Pharmacology	Hypodermic syringes & needles Size 15,24,26G	Available
110	Dept of Pharmacology	Levers , cannula	Available

111	Dept of Pharmacology	Lucas moist chamber	Available
112	Dept of Pharmacology	Mercury thermometer	Available
113	Dept of Pharmacology	Metabolic cage	Not Available
114	Dept of Pharmacology	Microscopes	Available
115	Dept of Pharmacology	Models for various organs	Available
116	Dept of Pharmacology	Muscle electrodes	Not Available
117	Dept of Pharmacology	Myographic lever	Not Available
118	Dept of Pharmacology	Permanent Slides for various tissues	Available
119	Dept of Pharmacology	Perspex bath assembly (single unit)	Not Available
120	Dept of Pharmacology	Plethysmograph	Available
121	Dept of Pharmacology	Pole climbing apparatus	Not Available
122	Dept of Pharmacology	Pregnancy diagnosis kit	Available
123	Dept of Pharmacology	Rotarod	Not Available
124	Dept of Pharmacology	Sahli's haemocytometer	Not Available
125	Dept of Pharmacology	Sherrington drum	Not Available
126	Dept of Pharmacology	Sherrington's kymograph machine / polyrite	Not Available
127	Dept of Pharmacology	Skeleton and bones	Available
128	Dept of Pharmacology	Software packages for experiment	Not Available
129	Dept of Pharmacology	Specimen for various organs and systems	Available
130	Dept of Pharmacology	Spygomanometer	Not Available
131	Dept of Pharmacology	Standard graph of various drug	Available
132	Dept of Pharmacology	Stereotaxic apparatus	Not Available
133	Dept of Pharmacology	Stethoscope	Available
134	Dept of Pharmacology	Stimulator	Available
135	Dept of Pharmacognosy	Autoclave	Available
136	Dept of Pharmacognosy	Binocular Microscope	Not Available
137	Dept of Pharmacognosy	Camera lucida	Available
138	Dept of Pharmacognosy	Colorimeter	Available
139	Dept of Pharmacognosy	Compound Microscope	Available
140	Dept of Pharmacognosy	Cutter Mill (Bark and seed grinder)	Available
141	Dept of Pharmacognosy	Digital pH Meter	Available
142	Dept of Pharmacognosy	Dissecting Microscope	Available
143	Dept of Pharmacognosy	Electric water bath	Available
144	Dept of Pharmacognosy	Electronic Digital balance	Available
145	Dept of Pharmacognosy	Electrophoresis	Not Available
146	Dept of Pharmacognosy	Eye piece micrometer	Available
147	Dept of Pharmacognosy	Fermentor	Not Available
148	Dept of Pharmacognosy	Heating Mantles-Small	Available
149	Dept of Pharmacognosy	Hot air oven	Available
150	Dept of Pharmacognosy	Hot plate	Available
151	Dept of Pharmacognosy	Medicinal Plant Chart	Not Available
152	Dept of Pharmacognosy	Micro Centrifuge	Not Available
153	Dept of Pharmacognosy	Micropipette single & Multi Channeled	Available
154	Dept of Pharmacognosy	Microtome rotary	Not Available
155	Dept of Pharmacognosy	Mixer grinder	Available
156	Dept of Pharmacognosy	Models	Not Available
157	Dept of Pharmacognosy	Moisture balance	Not Available
158	Dept of Pharmacognosy	Muffle furnace	Available
159	Dept of Pharmacognosy	Permanent Slide	Not Available
160	Dept of Pharmacognosy	Polarized Microscope	Not Available
161	Dept of Pharmacognosy	Projection Microscope	Not Available
162	Dept of Pharmacognosy	Refrigerator	Available
163	Dept of Pharmacognosy	Rotary Shaker	Not Available
164	Dept of Pharmacognosy	Sonicator	Not Available
165	Dept of Pharmacognosy	Stage micrometer	Available
166	Dept of Pharmacognosy	Sterility testing unit	Available
167	Dept of Pharmacognosy	UV Cabinet	Available
168	Dept of Pharmacognosy	Vacuum pump	Available
169	Dept of Pharmacognosy	Water Distillation unit	Available
170	Dept of Pharmacognosy	Zone reader	Available
171	Dept of Pharmacy Practice	Autoclave sterilizer	Not Available

172	Dept of Pharmacy Practice	Blood Pressure Apparatus and stethoscope	Available
173	Dept of Pharmacy Practice	Centrifuge	Available
174	Dept of Pharmacy Practice	Clinical thermometer	Available
175	Dept of Pharmacy Practice	Filling Machine	Available
176	Dept of Pharmacy Practice	Glucometer	Available
177	Dept of Pharmacy Practice	Hot air oven	Available
178	Dept of Pharmacy Practice	Membrane filter	Available
179	Dept of Pharmacy Practice	pH meter	Available
180	Dept of Pharmacy Practice	Sealing Machine	Not Available
181	Dept of Pharmacy Practice	Sintered glass funnel with complete filtering assemble	Available
182	Dept of Pharmacy Practice	Small disposable membrane filter for IV admixture filtration	Not Available
183	Dept of Pharmacy Practice	Surgical dressing	Available
184	Dept of Pharmacy Practice	Vacuum pump	Available

Deviation Observed	As above	Does it conform to SOP standards	Yes
Remarks of centre in charge	ok	Inspecting Official remarks	verified

Miscellaneous

Quality Criteria	Comments
Anti - Ragging cell	Available
Gender Sensitization cell	Available
Anti - Discrimination cell	Available
Placement and Carrer Guidance cell	Available
College Attached Hospital	Not Available
Academic Activities of Students at Hospital	Not Available

Key Checklist

Inspector Pic At College Entrance		
Inspector Pic At Lab(Atleast One Lab)		
Inspector Pic At Library		
Inspector Pic With Higher Authority		









Principal Appointed or Not	Yes	Comments	As Principal was on leave we could not able to take his photo in his chamber, sorry for the inconvenience.
----------------------------	-----	----------	--

Photo of Appointment Letter		
-----------------------------	---	--

Principal Photo		
-----------------	---	--

Candidate Name	Kuldeep Kumar
Admission Form	Yes
Photo ID Proof	Yes
Age Proof	Yes
Proof of Poor	No
Proof for Category (SC/ST)	Yes
Proof for Minority	No
Proof for PWD	No
Enrollment Application Form SF-5.1E4	Yes
Others	verified

Teaching Quality

Course	D.Pharm		
Is the faculty facing the class	yes	Comments	verified
			
Is the faculty addressing every candidate	yes	Comments	verified
			
Is the faculty covering the entire session as per activity cum lesson planner	yes	Comments	verified
			
Is the faculty maintaining class discipline	yes	Comments	verified
			
Is the faculty confident while communicating to the class	yes	Comments	verified
			
Is the faculty teaching without referring to the teaching material every time	yes	Comments	verified
			
Is the faculty using audio- visual aids	yes	Comments	verified
			
Is the faculty making the session interactive/ participatory	yes	Comments	verified
			

Lab Equipment is Functional **yes** **Comments** **verified**



Equipments are arranged properly **yes** **Comments** **verified**



Books are Available in the library for each course **yes** **Comments** **verified**



Shortcomings Reflected in the last inspection are compiled **No**

Facilities for conducting the practicals are available **yes** **Comments** **verified**



Class rooms Furnished **yes** **Comments** **verified**



Laboratories are well lit and ventilated **yes** **Comments** **verified**



Basic amenities and services like exhaust fan, fuming chambers etc. to reduce the pollution are provided **No**

Water tabs and drainage facilities available **yes** **Comments** **verified**



Balance room available and attached to the laboratories **No**

Workbenches smooth and easily cleanable preferably made of non-absorbent material **yes** **Comments** **verified**



Toilets, Common Facilities play area **yes** **Comments** **verified**



Chemicals and Glassware available **yes** **Comments**



Any other

NA

Inspector Profile

Inspector Name	Photo	Signature
Prof Munish Kumar, Abhijeet Ashok Bidkar		