

# डा० दशरथ चौधरी कालेज ऑफ फार्मेसी

डिडई, बांसी, जनपद-सिद्धार्थनगर -272153 (उ०प्र०)

Website: www.ddcollegeofpharmacy.org.in, E-mail: ddccpsdr@gmail.com

पत्रांक- DDCCP/120/Email/2022

दिनांक. ०८/०८/२०२२

सेवा में,  
सचिव,  
प्राविधिक शिक्षा परिषद,  
1- गुरु गोविन्द सिंह मार्ग, उ०प्र०,  
लखनऊ।

विषय:- शैक्षिक सत्र- 2022-2023 हेतु सम्बद्धता/सम्बद्धता विस्तार के सम्बन्ध में।

महोदय,

सादर अवगत कराना है कि हमारी संस्था डा० दशरथ चौधरी कालेज ऑफ फार्मेसी, डिडई, बांसी, सिद्धार्थनगर द्वारा वर्तमान में शैक्षिक सत्र- 2022-2023 हेतु सम्बद्धता/सम्बद्धता विस्तार हेतु Urise Portal के SU Login से आवेदन किया जा रहा है, जिसकी निर्धारित अन्तिम तिथि दिनांक- 10.08.2022 है। महोदय ज्ञात हो कि Pharmacy Council Of India (PCI) द्वारा संस्था का भौतिक निरीक्षण दिनांक- 14.07.2022 को कर लिया गया है जिसका Inspection Report तो जारी कर दिया गया है परन्तु अनुमोदन पत्र (Extension of Approval/Letter of Approval) अब तक पी०सी०आई० द्वारा प्रदान नहीं किया गया है तथा विचाराधीन है, जबकि परिषद के निर्देशनुसार Urise Portal के SU Login के माध्यम से अनुमोदन पत्र की प्रति अपलोड करनी है। ऐसी स्थिति में प्राविधिक शिक्षा परिषद द्वारा निर्धारित अन्तिम तिथि तक अनुमोदन पत्र की प्रति अपलोड/उपलब्ध करा पाना सम्भव नहीं होगा।

संस्था के Pharmacy Council of India द्वारा अनुमोदन की वर्तमान स्थिति-

पी०सी०आई० कोड	बी०टी०ई० कोड	संस्था का नाम	भौतिक/स्थलीय निरीक्षण की तिथि	अनुमोदन पत्र की स्थिति
1	2	3	4	5
4110	4143	डा० दशरथ चौधरी कालेज ऑफ फार्मेसी, डिडई, बांसी, सिद्धार्थनगर।	14.07.2022	विचाराधीन

अतः अनुरोध है कि अनुमोदन पत्र (Extension of Approval/Letter of Approval) अपलोड अथवा जमा करने हेतु अतिरिक्त समय प्रदान किया जाये। अनुमोदन-पत्र के उपलब्ध होते ही Urise Portal के SU Login पर अपलोड कर दिया जायेगा तथा भौतिक रूप से परिषद कार्यालय में भी उपलब्ध करा दिया जायेगा।

संलग्नक:-

1. PCI Expert Visit Committee द्वारा दिनांक- 14.07.2022 को किये गये संस्था के भौतिक निरीक्षण की पोर्टल पर उपलब्ध रिपोर्ट की प्रति।



## Inspection Report

### Institute Information

Institute Name / Institute ID	Dr. Dashrath Chaudhary College Of Pharmacy / PCI-4110		
State	UTTAR PRADESH	Institute Type	existing
Courses Applied	B.Pharm, D.Pharm	Name of the Inspectors	Dr Narendra Pratap Singh Sengar, JITENDRA BANWEER
Inspection Date	14-07-2022		

### General Information

Quality Criteria	Comments
Approval of Course Affiliation Authority	Available
Details of Pharmacy Educations Regulatory Charges for Affiliation Paid	Available
Admission details for the Past Three Years	Available
Present Approval Status (if pending)	Available
Proof of follow up action	Not Available
Academic Results	Available

### Infrastructure

Quality Criteria	Comments
Independent Building	Available
Separate Campus	Available
Availability of Land	Available
Own Building	Available
Class Room	Available
Principal / Staff Room etc.	Available
Approval Building Plan	Available
Instructional Area	Available
Store Room - 1	Available
Store Room - 1	Available
First aid Room	Available
Museum	Available
Animal house	Available
Auditorium	Available
Seminar Hall	Available
Herbal Garden (Desirable)	Not Available
Girl's Common Room (Essential)	Available
Boy's Common Room (Essential)	Available
Toilet Blocks for Boys	Available
Toilet Blocks for Girls	Available
Drinking Water facility Water Cooler (Essential)	Available
Boy's Hostel (Desirable)	Not Available
Girls's Hostel (Desirable)	Not Available
Power Backup Provision	Available
Computer and other Facilities	Available
Amenities	Available

### Curriculum

Quality Criteria	Comments
Prescribed Number of Classes	Available
Number of Classes on Theory	Available
Number of Classes on Practical's	Available
Number of Teaching Staff	Available
Percentage of Faculty Retention	Available
Number of Non - Teaching Staff	Available
Course wise Faculty	Available
Faculty Workload	Available

### Faculty Info

S.No	Faculty Name	Designation	Qualification	Teaching Experience	Photo	Comments
------	--------------	-------------	---------------	---------------------	-------	----------

1	Rajesh Kumar	Lecturer	B.Pharm	5 years 11 mons 9 days		Yes
2	RAHUL VERMA	Lecturer	B.Pharm	3 years 1 mon 9 days		Yes
3	PRAMOD KUMAR CHAUDHARY	Lecturer	B.Pharm	3 years 1 mon 9 days		No
4	NITESH SINGH	Lecturer	B.Pharm	3 years 1 mon 9 days		No
5	SANDEEP KUMAR KATARIA	Principal	M.Pharm Pharmacognosy, PhD	8 years 9 days		No
6	Km Arpita rao	Lecturer	B.Pharm	1 year 10 mons 17 days		Yes
7	Ajay Kumar	Lecturer	B.Pharm	2 years 17 days		Yes
8	Deepak Kumar		B.Pharm	1 year 10 mons 19 days		Yes
9	Anshuwendra pratap	Lecturer	B.Pharm	1 year 10 mons 19 days		Yes
10	Raghvendra kumar	Lecturer	B.Pharm	1 year 10 mons 15 days		Yes

### Finance

Quality Criteria	Comments
Non - Recurring Budget details	Available
Recurring Budget details	Available
Income and Expenditure details	Available

### Library

Quality Criteria	Comments
Course Wise Books and Journals	Available
Other Facilities	Available
R D	Available
Nubers of Teaching Staff	Available
Research	Available
Department wise course Equipments	Available
Co-Curricular, Extra Curricular Extension Activities	Available

#### Physical Equipment

S.No	Name of the Department	Name of the Equipment	Equipment Status
1	Dept of Pharmaceutics	Ampoule sealing machine	Not Available
2	Dept of Pharmaceutics	Ampoules washing machine	Not Available
3	Dept of Pharmaceutics	Antibiotic Zone Rader	Available
4	Dept of Pharmaceutics	Aseptic cabinet	Available
5	Dept of Pharmaceutics	Autoclave	Available
6	Dept of Pharmaceutics	Ball mill	Available
7	Dept of Pharmaceutics	BOD Incubator	Available
8	Dept of Pharmaceutics	Brookfield viscometer	Not Available
9	Dept of Pharmaceutics	Bulk density	Available
10	Dept of Pharmaceutics	Capsule counter	Available
11	Dept of Pharmaceutics	Capsule filling machine	Available
12	Dept of Pharmaceutics	Centrifuge	Available
13	Dept of Pharmaceutics	Clarity test apparatus	Available
14	Dept of Pharmaceutics	Colony Counter	Not Available
15	Dept of Pharmaceutics	Desiccators	Available
16	Dept of Pharmaceutics	Digital balance	Available
17	Dept of Pharmaceutics	Digital pH meter	Available
18	Dept of Pharmaceutics	Double cone blender	Not Available
19	Dept of Pharmaceutics	Extractive Distillator	Available
20	Dept of Pharmaceutics	Franz Diffusion cell	Available
21	Dept of Pharmaceutics	Friability test apparatus	Available
22	Dept of Pharmaceutics	Hardness tester	Available
23	Dept of Pharmaceutics	Homoginizer	Available
24	Dept of Pharmaceutics	Hot Air Oven	Available
25	Dept of Pharmaceutics	Hot plate	Available
26	Dept of Pharmaceutics	Humidity Chambers	Available
27	Dept of Pharmaceutics	Laminar Air Flow	Available
28	Dept of Pharmaceutics	Magnetic stirrer 500ml & 1 Litr capacity	Available
29	Dept of Pharmaceutics	Mechanical Stirrer	Available
30	Dept of Pharmaceutics	Micropipette single & Multi Channeled	Not Available
31	Dept of Pharmaceutics	Microscope	Available
32	Dept of Pharmaceutics	Milli Pore Filter	Not Available
33	Dept of Pharmaceutics	Moisture balance	Not Available
34	Dept of Pharmaceutics	Mortar and Pestle	Available
35	Dept of Pharmaceutics	Ointment filling machine	Available
36	Dept of Pharmaceutics	Refrigerator	Available
37	Dept of Pharmaceutics	Sieve Shaker Machine	Available
38	Dept of Pharmaceutics	Stage and eye piece micrometers	Not Available
39	Dept of Pharmaceutics	Standard sieves no. 8, 10, 12, 22, 44, 66, 80	Available
40	Dept of Pharmaceutics	Steam distillation still	Available
41	Dept of Pharmaceutics	Sterility tester	Available
42	Dept of Pharmaceutics	Suppository mold	Available
43	Dept of Pharmaceutics	Tablet coating machine	Available
44	Dept of Pharmaceutics	Tablet Disintegration apparatus	Available
45	Dept of Pharmaceutics	Tablet punching machine	Available
46	Dept of Pharmaceutics	Tincture press	Not Available
47	Dept of Pharmaceutics	Tray dryer	Available
48	Dept of Pharmaceutics	Ultra Sonicator	Not Available
49	Dept of Pharmaceutics	UV Cabinet	Not Available

50	Dept of Pharmaceutics	Vacuum Distillator	Available
51	Dept of Pharmaceutics	Vacuum pump	Available
52	Dept of Pharmaceutics	Water bath	Available
53	Dept of Pharmaceutical Chemistry	Analytical Balances for demonstration	Available
54	Dept of Pharmaceutical Chemistry	Arsenic Limit Test Apparatus	Available
55	Dept of Pharmaceutical Chemistry	Atomic Absorption and Emission spectrophotometer (Desirable)	Not Available
56	Dept of Pharmaceutical Chemistry	Atomic model set	Available
57	Dept of Pharmaceutical Chemistry	Biochemistry Analyzer (Desirable)	Not Available
58	Dept of Pharmaceutical Chemistry	Carbon, Hydrogen, Nitrogen Analyzer (Desirable)	Not Available
59	Dept of Pharmaceutical Chemistry	Conductivity meter	Available
60	Dept of Pharmaceutical Chemistry	Copper water bath	Available
61	Dept of Pharmaceutical Chemistry	Deep Freezer (Desirable)	Not Available
62	Dept of Pharmaceutical Chemistry	Digital balance 10mg sensitivity	Available
63	Dept of Pharmaceutical Chemistry	Digital Balance (1mg sensitivity)	Available
64	Dept of Pharmaceutical Chemistry	Digital pH meter	Available
65	Dept of Pharmaceutical Chemistry	Distillation Unit	Available
66	Dept of Pharmaceutical Chemistry	Electronic balance	Available
67	Dept of Pharmaceutical Chemistry	Electronic water bath( 12 holes)	Available
68	Dept of Pharmaceutical Chemistry	HPLC	Not Available
69	Dept of Pharmaceutical Chemistry	HPTLC (Desirable)	Not Available
70	Dept of Pharmaceutical Chemistry	Ion- Exchanger	Available
71	Dept of Pharmaceutical Chemistry	Lyophilizer (Desirable)	Not Available
72	Dept of Pharmaceutical Chemistry	Magnetic Stirrers with Thermostat	Available
73	Dept of Pharmaceutical Chemistry	Mechanical Stirrers	Available
74	Dept of Pharmaceutical Chemistry	Microwave Oven	Available
75	Dept of Pharmaceutical Chemistry	Muffle Furnace	Available
76	Dept of Pharmaceutical Chemistry	Nephelo Turbidity meter	Not Available
77	Dept of Pharmaceutical Chemistry	Nessler's Cylinders	Available
78	Dept of Pharmaceutical Chemistry	Oven	Available
79	Dept of Pharmaceutical Chemistry	Periodic table chart	Available
80	Dept of Pharmaceutical Chemistry	Photoelectric colorimeter	Available
81	Dept of Pharmaceutical Chemistry	Polarimeter	Available
82	Dept of Pharmaceutical Chemistry	Potentiometer	Available
83	Dept of Pharmaceutical Chemistry	Reflux flask and condenser double / triple necked	Available
84	Dept of Pharmaceutical Chemistry	Reflux flask and condenser single Necked	Available
85	Dept of Pharmaceutical Chemistry	Refractometer	Available
86	Dept of Pharmaceutical Chemistry	Refrigerator	Available
87	Dept of Pharmaceutical Chemistry	Suction pumps	Available
88	Dept of Pharmaceutical Chemistry	UV- Visible Spectrophotometer	Not Available
89	Dept of Pharmaceutical Chemistry	Vacuum Pump	Available
90	Dept of Pharmacology	Actophotometer	Available
91	Dept of Pharmacology	Aerators	Available
92	Dept of Pharmacology	Analgesiometer (eddy's hot plate and radiant heat methods)	Available
93	Dept of Pharmacology	Cell analyzer	Available
94	Dept of Pharmacology	Centrifuge	Available
95	Dept of Pharmacology	Convulsimeter	Not Available
96	Dept of Pharmacology	Different Contraceptive Devices and Models	Available
97	Dept of Pharmacology	Digital glucometer	Available
98	Dept of Pharmacology	Digital pH meter	Available
99	Dept of Pharmacology	Dissection tray & boards	Available
100	Dept of Pharmacology	Folin- wu tubes	Available
101	Dept of Pharmacology	Haemocytometer with Micropipettes	Not Available
102	Dept of Pharmacology	Hemostatic artery forceps	Not Available
103	Dept of Pharmacology	Histamine chamber	Available
104	Dept of Pharmacology	Hutchinson's spirometer	Available
105	Dept of Pharmacology	Hypodermic syringes & needles Size 15,24,26G	Available
106	Dept of Pharmacology	Levers , cannula	Available
107	Dept of Pharmacology	Lucas moist chamber	Available
108	Dept of Pharmacology	Mercury thermometer	Available
109	Dept of Pharmacology	Metabolic cage	Available
110	Dept of Pharmacology	Microscopes	Available

111	Dept of Pharmacology	Models for various organs	Available
112	Dept of Pharmacology	Muscle electrodes	Available
113	Dept of Pharmacology	Myographic lever	Not Available
114	Dept of Pharmacology	Permanent Slides for various tissues	Available
115	Dept of Pharmacology	Perspex bath assembly (single unit)	Available
116	Dept of Pharmacology	Plethysmograph	Available
117	Dept of Pharmacology	Pole climbing apparatus	Available
118	Dept of Pharmacology	Pregnancy diagnosis kit	Available
119	Dept of Pharmacology	Rotarod	Available
120	Dept of Pharmacology	Sahli's haemocytometer	Available
121	Dept of Pharmacology	Sherrington drum	Available
122	Dept of Pharmacology	Sherrington's kymograph machine / polyrite	Available
123	Dept of Pharmacology	Skeleton and bones	Available
124	Dept of Pharmacology	Software packages for experiment	Not Available
125	Dept of Pharmacology	Specimen for various organs and systems	Available
126	Dept of Pharmacology	Spygmomanometer	Available
127	Dept of Pharmacology	Standard graph of various drug	Not Available
128	Dept of Pharmacology	Stereotaxic apparatus	Not Available
129	Dept of Pharmacology	Stethoscope	Available
130	Dept of Pharmacology	Stimulator	Available
131	Dept of Pharmacognosy	Autoclave	Available
132	Dept of Pharmacognosy	Binocular Microscope	Not Available
133	Dept of Pharmacognosy	Camera lucida	Not Available
134	Dept of Pharmacognosy	Compound Microscope	Available
135	Dept of Pharmacognosy	Cutter Mill (Bark and seed grinder)	Available
136	Dept of Pharmacognosy	Digital pH Meter	Available
137	Dept of Pharmacognosy	Dissecting Microscope	Not Available
138	Dept of Pharmacognosy	Electric water bath	Available
139	Dept of Pharmacognosy	Electronic Digital balance	Available
140	Dept of Pharmacognosy	Electrophoresis	Not Available
141	Dept of Pharmacognosy	Eye piece micrometer	Not Available
142	Dept of Pharmacognosy	Fermentor	Not Available
143	Dept of Pharmacognosy	Heating Mantles-Small	Available
144	Dept of Pharmacognosy	Hot air oven	Available
145	Dept of Pharmacognosy	Hot plate	Available
146	Dept of Pharmacognosy	Medicinal Plant Chart	Available
147	Dept of Pharmacognosy	Micro Centrifuge	Not Available
148	Dept of Pharmacognosy	Micropipette single & Multi Channeled	Not Available
149	Dept of Pharmacognosy	Microtome rotary	Not Available
150	Dept of Pharmacognosy	Mixer grinder	Available
151	Dept of Pharmacognosy	Models	Available
152	Dept of Pharmacognosy	Moisture balance	Available
153	Dept of Pharmacognosy	Muffle furnace	Available
154	Dept of Pharmacognosy	Permanent Slide	Available
155	Dept of Pharmacognosy	Polarized Microscope	Not Available
156	Dept of Pharmacognosy	Projection Microscope	Not Available
157	Dept of Pharmacognosy	Refrigerator	Available
158	Dept of Pharmacognosy	Rotary Shaker	Available
159	Dept of Pharmacognosy	Sonicator	Not Available
160	Dept of Pharmacognosy	Stage micrometer	Available
161	Dept of Pharmacognosy	Sterility testing unit	Available
162	Dept of Pharmacognosy	UV Cabinet	Not Available
163	Dept of Pharmacognosy	Vacuum pump	Available
164	Dept of Pharmacognosy	Water Distillation unit	Available
165	Dept of Pharmacognosy	Zone reader	Not Available
166	Dept of Pharmacy Practice	Autoclave sterilizer	Available
167	Dept of Pharmacy Practice	Blood Pressure Apparatus and stethoscope	Available
168	Dept of Pharmacy Practice	Centrifuge	Available
169	Dept of Pharmacy Practice	Clinical thermometer	Available
170	Dept of Pharmacy Practice	Filling Machine	Not Available
171	Dept of Pharmacy Practice	Glucometer	Available

172	Dept of Pharmacy Practice	Hot air oven	Available
173	Dept of Pharmacy Practice	Membrane filter	Available
174	Dept of Pharmacy Practice	pH meter	Available
175	Dept of Pharmacy Practice	Sealing Machine	Not Available
176	Dept of Pharmacy Practice	Sintered glass funnel with complete filtering assemble	Available
177	Dept of Pharmacy Practice	Small disposable membrane filter for IV admixture filtration	Not Available
178	Dept of Pharmacy Practice	Surgical dressing	Available
179	Dept of Pharmacy Practice	Vacuum pump	Available

Deviation Observed [list enclosed](#) Does it conform to SOP standards **Yes**  
Remarks of centre in charge [order placed](#) Inspecting Official remarks **Maintenance and log book register should be maintain**

### Miscellaneous

Quality Criteria	Comments
Anti - Ragging cell	Available
Gender Sensitization cell	Not Available
Anti - Discrimination cell	Available
Placement and Carrer Guidance cell	Available
College Attached Hospital	Not Available
Academic Activities of Students at Hospital	Not Available

### Key Checklist

Inspector Pic At College Entrance



Inspector Pic At Lab(Atleast One Lab)



Inspector Pic At Library



Inspector Pic With Higher Authority



Principal Appointed or Not

Yes

Comments

Principal on leave, Vice principal Rajesh Kumar looking after his duties.

Photo of Appointment Letter



Principal Photo



Inspector Pic with Principal



Photo of Principal Chamber






Proof of Poor	No
Proof for Category (SC/ST)	No
Proof for Minority	No
Proof for PWD	No
Enrollment Application Form SF-5.1E4	Yes
Others	

### Teaching Quality

Course	D.Pharm
Is the faculty facing the class	No
Is the faculty addressing every candidate	No
Is the faculty covering the entire session as per activity cum lesson planner	No
Is the faculty maintaining class discipline	No
Is the faculty confident while communicating to the class	No
Is the faculty teaching without referring to the teaching material every time	No
Is the faculty using audio- visual aids	No
Is the faculty making the session interactive/ participatory	No
Is faculty using stories, pictures, role plays and examples	No

### Assessments

Course	D.Pharm	Year / Semester	0
Candidate Name	Anil Verma		
Was the candidate present on the day of assessment	yes	Comments	
			
Review the CCTV footage and state whether candidate was present in the test	yes	Comments	
			
Were candidates seriously writing the test	yes	Comments	
			
Was there any malpractices noticed during the test	No		
Did the actual marks and revaluation marks (using model answer papers) differ by more than 10%	No		
Were the marks obtained in retest less by more than 20%	No		

### Residential Facilities

Course	D.Pharm	Year / Semester	0
Candidate Name	Anil Verma		
Are separate hostels being provided for male and female candidates	No		
Is the grievances register being maintained	yes	Comments	





Shortcomings Reflected in the last inspection are compiled **yes**

Comments **verified**



Facilities for conducting the practicals are available **yes**

Comments **verified**



Class rooms Furnished **yes**

Comments **verified**



Laboratories are well lit and ventilated **yes**

Comments **verified**



Basic amenities and services like exhaust fan, fuming chambers etc. to reduce the pollution are provided **yes**

Comments **verified**



Water taps and drainage facilities available **yes**

Comments **verified**



Balance room available and attached to the laboratories **yes**

Comments **verified**



Workbenches smooth and easily cleanable preferably made of non-absorbent material **yes**

Comments **verified**



Toilets, Common Facilities play area **yes**

Comments **verified**



Chemicals and Glassware available **yes**

Comments



b) Training is imparted in -  
 1. Pharmacy Practice (Hospital / Community Pharmacy)  
 2. Pharmaceutical Industry.  
 Manufacturing  
 Quality Control  
 Quality Assurance  
 R&D

Pharmaceutical Industry -Manufacturing

Audit report and Fund allocation

Fixed fields	Budget provision(to be filled by Inspectors) (in Rs. per month)
Total No. of faculty	10
Total No. of students in all pharmacy courses (in all years)	133
Salary to faculty	2898790
Purchase of equipments	524390
Purchase of glassware and chemicals	449326
Gas, water and electric supply	3000, 1650000
Telephone, Internet expenditure, stationary	12000, 6000, 110700
Basic amenities like drinking water, toilets	5000, 7500
Maintenance of building and equipments	750000
Any other	548930

Inspector Profile

Inspector Name	Photo	Signature
Dr Narendra Pratap Singh Sengar, JITENDRA BANWEER	