



APPROVAL PROCESS 2022-23

Extension of Approval (EoA)

F.No. Northern/1-10970367833/2022/EOA

Date: 03-Jun-2022

To,

The Principal Secretary (Tech. Edu.)
 Govt. of Uttar Pradesh,
 Sachiv Bhawan, Lucknow-226001,
 12A, Navin Bhawan,
 U.P. Lucknow-226001

Sub: Extension of Approval for the Academic Year 2022-23

Ref: Application of the Institution for Extension of Approval for the Academic Year 2022-23

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations, 2022 Notified on 4th February, 2022 and amended on 24th February 2022 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Permanent Id	1-3732225511	Application Id	1-10970367833
Name of the Institution	GOVERNMENT POLYTECHNIC KUTANA BARAUT	Name of the Society/Trust	GOVT POLYTECHNIC SUTAWALI AMROHA
Institution Address	GOVERNMENT POLYTECHNIC KUTANA, BARAUT- BAGPAT, BARAUT, BAGPAT, Uttar Pradesh, 250611	Society/Trust Address	GOVERNMENT POLYTECHNICA SUTAWALI DISTT AMROHA, HASANPUR, BAGPAT, Uttar Pradesh, 244221
Institution Type	Government	Region	Northern
Year of Establishment	2018		

To conduct following Courses with the Intake indicated below for the Academic Year 2022-23

Level	Program	Course	Affiliating Body (University /Body)	Intake Approved for 2021-22	Intake Approved for 2022-23	NRI Approval Status	FN / Gulf quota/ OCI/ Approval Status
DIPLOMA	ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA
DIPLOMA	ENGINEERING AND TECHNOLOGY	DAIRY ENGINEERING	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA

Level	Program	Course	Affiliating Body (University /Body)	Intake Approved for 2021-22	Intake Approved for 2022-23	NRI Approval Status	FN / Gulf quota/ OCI/ Approval Status
DIPLOMA	ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING (AUTO)	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA

It is mandatory to comply with all the essential requirements as given in APH 2022-23 (Appendix 6)

The Institution/ University is having the following deficiencies as per the online application submitted to AICTE and the same shall be complied within Six Months from the date of issue of this EoA

Deficiencies Noted based on Self Disclosure	
Particulars	Deficiency
1. Administrative Area	
Board Room	Yes
Department Offices/Cabin for Head of Dept	Yes
Housekeeping	Yes
Maintenance	Yes
Office All Inclusive	Yes
Security	Yes
2. Amenities Area	
Boys Common Room	Yes
Cafeteria	Yes
First aid cum Sick Room	Yes
Girls Common Room	Yes
Stationery Store	Yes
3. Computational Facilities	
Printers	Yes
Number of PCs in Language lab	Yes
Application S/W	Yes
System S/W	Yes
PCs to Student ratio	Yes
4. Instructional Area – ENGINEERING AND TECHNOLOGY-Diploma	
Classroom	Yes
Tutorial Room	Yes
Seminar Hall	Yes

Drawing Hall	Yes
Laboratory	Yes
5. Faculty Deficiency	Yes
6. Instructional Area Common Facilities	
Library & Reading Room	Yes
7. Library Facilities	
Volumes	Yes
Titles	Yes
Library Management Software	Yes
Reading Room Seating Capacity	Yes
MultiMediaPC	Yes
8. Other Facilities Deficiency	
Sewage Disposal System	Yes
Telephone	Yes
First Aid	Yes
Establishment: Internal Complaint Committee(ICC)	Yes
Food Safety and Standards	Yes
Atleast 5 MoUs with industries	Yes
Backup Electric Supply	Yes
Waste Management and a sustainable Green Campus	Yes
Medical & Counseling	Yes
Notice Boards	Yes
Potable Water Supply	Yes
9. Other Facilities III & Faculty Questions	
Fees to be charged, policies uploaded	Yes
Courses/Approved Intake displayed	Yes

*Please refer Deficiency Report for details

Important Instructions

1. The State Government/ UT/ Directorate of Technical Education/ Directorate of Medical Education shall ensure that 10% of reservation for Economically Weaker Section (EWS) as per the reservation policy for admission, operational from the Academic year 2019-20 is implemented without affecting the reservation percentages of SC/ ST/ OBC (NCL)/ General. However, this would not be applicable in the case of Minority Institutions referred to the Clause (1) of Article 30 of Constitution of India. Such Institution shall be permitted to increase in annual permitted strength over a maximum period of two years.
2. The Institution offering courses earlier in the Regular Shift, First Shift, Second Shift/Part Time are now amalgamated as total intake and shall have to fulfil all facilities such as Infrastructure, Faculty and other requirements as per the norms specified in the Approval Process Handbook 2022-23 for the Total Approved Intake. Further, the Institutions Deemed to be Universities/ Institutions having Accreditation/ Autonomy status shall have to maintain the Faculty: Student ratio as specified in the Approval Process Handbook. All such Institutions/ Universities shall have to create the necessary Faculty, Infrastructure and other facilities WITHIN 2 YEARS to fulfil the norms based on the Affidavit submitted to AICTE beginning with the Academic Year 2022-23
3. Strict compliance of Anti-Ragging Regulation, Establishment of Committee for SC/ ST, Establishment of Internal Complaint Committee (ICC), Establishment of Online Grievance Redressal Mechanism, Barrier Free Built Environment for disabled and elderly persons, Fire and Safety Certificate should be maintained as Approval Process Handbook and provisions made in AICTE Regulation notified from time to time.
4. In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Pharmacy Institute: In compliance with the order dated 05.03.2020 passed by the Hon'ble Supreme Court of India in Transferred Petitions (CIVIL) No 87-101 of 2014, for the existing institutions offering courses in Pharmacy Programme, approval of Pharmacy Council of India (PCI) is mandatory and AICTE approval is NOT required. The requirements for running the Programme (Diploma / UG / PG) such as Land & Build-up Area, Student-faculty ratio, Intake etc. will be as per the respective regulatory body (PCI).

In case of any inconsistency in the course name and intake for EoA issued by AICTE and the approval by PCI, the approval of PCI shall prevail.

Architecture Institute: In compliance with the order dated 08.11.2019 passed by the Hon'ble Supreme Court of India in CA No.364/ 2005, for the existing Institutions offering Courses in Architecture Programme, approval by the Council of Architecture (CoA) is mandatory and AICTE approval is NOT required. The requirements for running the Programme (Diploma / UG / PG) such as Land & Build-up Area, Student-faculty ratio, Intake etc. will be as per respective regulatory body (CoA). In case of any inconsistency in the course name and intake for EoA issued by AICTE and the approval by CoA, the approval of CoA shall prevail.

Deemed to be University: Institutions Deemed to be Universities (Running Technical Education Programmes), it is mandatory to have AICTE approval from the Academic Year 2018-19 in compliance of the Hon'ble Supreme Court Order dated 03-11-2017 passed in CA No.17869- 17870 /2017.

**Prof.Rajive Kumar
Member Secretary, AICTE**

Copy to:

1. **The Director Of Technical Education**, Uttar Pradesh**
2. **The Principal / Director,**
GOVERNMENT POLYTECHNIC KUTANA BARAUT
Government Polytechnic Kutana, Baraut- Bagpat,
Baraut, Bagpat,
Uttar Pradesh, 250611
3. **The Secretary / Chairman,**
GOVERNMENT POLYTECHNICA SUTAWALI DISTT AMROHA
HASANPUR, BAGPAT
Uttar Pradesh, 244221
4. **The Regional Officer,**
All India Council for Technical Education
Govt. Polytechnic Campus
Adjoining Directorate of Technical Education
Vikas Nagar, Kanpur-208 002, Uttar Pradesh

5. Guard File(AICTE)

Note: Validity of the Course details may be verified at <http://www.aicte-india.org/>

** Individual Approval letter copy will not be communicated through Post/Email. However, consolidated list of Approved Institutions(bulk) will be shared through official Email Address to the concerned Authorities mentioned above.

This is a computer generated Statement. No signature Required