

400 - Administrative
 350 - Academic
 330 - Amenities area

1	Laboratory Area for D.Pharm Course	50 Sq. mtr x n (n=05)			
2	Pharmacology ✓ Pharmaceutical Chemistry ✓ Pharmacognosy ✓ Human Anatomy & Physiology ✓ Social Pharmacy ✓ Total no. of Labs for D. Pharm. Course(s) *Animal House	01 Laboratory 01 Laboratory 01 Laboratory 01 Laboratory 01 Laboratory 05 Laboratories 01 (10 sq.mtr)			
3	Preparation Room for each lab (One room can be shared by two labs, if it is in between two labs)	10 Sq. mtr (minimum)			
4	Area of the Machine Room	100 Sq. mtr			
5	Aseptic Room	25 Sq. mtr			
6	Store Room - I	1 (Area 20 Sq. mtr)			
7	Store Room - II (For Inflammable Chemicals)	1 (Area 20 Sq. mtr)			

1. All the Laboratories should be well lit & ventilated
2. All Laboratories should be provided with basic amenities and services like exhaust fans and fume chamber to reduce the pollution wherever necessary.
3. The workbenches should be smooth and easily cleanable preferably made of non-absorbent material.
4. The water taps should be non-leaking and directly intored on sinks. Drainage should be efficient.
5. Balance room should be attached to the concerned laboratories.

12- Administrative Area:

Sl. No.	Name of Infrastructure	Requirement as per Norms in Number	Requirement as per Norms in Area	Available		Remarks/Deficiency
				No.	Area in Sq. mtr	
1	Principal's Chamber	01	20 Sq. mtr			
2	Office - I including Confidential Room	01	40 Sq. mtr			
3	Staff / Faculty Rooms for D. Pharm course	01	30 Sq. mtr			
4	Library with computer and reprographic facilities	01	100 Sq. mtr			
5	Museum	01	30 Sq. mtr (May be attached to the Pharmacognosy Lab)			