

All India Council for Technical Education

(A Statutory body under Ministry of Education, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110070. Website: www.aicte-india.org



APPROVAL PROCESS 2021-22

Extension of Approval (EoA)

F.No. Northern/1-9317326707/2021/EOA

Date: 25-Jun-2021

To,

The Principal Secretary (Tech. Edu.)
Govt. of Uttar Pradesh,
Sachiv Bhawan, Lucknow-226001,
12A, Navin Bhawan,
U.P. Lucknow-226001

Sub: Extension of Approval for the Academic Year 2021-22

Ref. Application of the Institution for Extension of Approval for the Academic Year 2021-22

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations, Notified on 4th February, 2020 and amended on 24th February 2021 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to:

Permanent Id	1-2655559131	Application Id	1-9317326707
Name of the Institution /University	M M I T, AURAIYA	Name of the Society/Trust	M M I T, AURAIYA
Institution /University Address	SEHUD, AURAIYA, SEHUD, AURAIYA, Uttar Pradesh, 206244	Society/Trust Address	SEHUD, AURAIYA, SEHUD, AURAIYA Uttar Pradesh, 206244
Institution /University Type	Government	Region	Northern

To conduct following Programs / Courses with the Intake indicated below for the Academic Year 2021-22

Program	Level	Course	Affiliating Body (University /Body)	Intake Approved for 2020-21	Intake Approved for 2021-22	NRI Approval Status	FN / Gulf quota/ OCI/ Approval Status
ENGINEERING AND TECHNOLOGY	DIPLOMA	CHEMICAL ENGINEERING	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA
ENGINEERING AND TECHNOLOGY	DIPLOMA	ELECTRICAL ENGINEERING	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA
ENGINEERING AND TECHNOLOGY	DIPLOMA	PLASTIC & MOULD TECHNOLOGY	Uttar Pradesh Board of Technical Education, Lucknow	60	60	NA	NA

Application No:1-9317326707

Note: This is a Computer generated Report. No signature is required.

Printed By : aic00893

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

Page 1 of 3

प्रधानाचार्य
एमओ एमओ आइओ
दिल्ली
दिल्लियापुर (अरिया)

Printed On: 7 July 2021

It is mandatory to comply with all the essential requirements as given in APH 2021-22 (Appendix 6)

The Institution/ University is having the following deficiencies as per the online application submitted to AICTE (self-disclosure based) and the same shall be complied within Six Months from the date of issue of this EoA

Deficiencies* Noted (based on Self Disclosure)
First aid cum Sick Room. Girls Common Room.
Printers. Number of PCs in Language lab. Application S/W PCs to Student ratio
Classroom. Seminar Hall. Laboratory.
Computer Center. Library & Reading Room.
Volumes. Titles. Reading Room Seating Capacity. MultiMediaPC.
Telephone Establishment. Internal Complaint Committee(ICC). Food Safety and Standards. Atleast 5 MoUs with industries. Group accident policy for employees. Implementation of student Induction Programme. Waste Management and a sustainable Green Campus. Display of Course(s) and Approved In entrance.
Fees to be charged, policies uploaded. List of faculty and data uploaded. Courses/Approved Intake displayed. Faculty Pay as per VI pay commission.

*Please refer Deficiency Report for details

Handwritten signature and stamp:
Signature: *Chiranjit*
Stamp: *CHIRANJIT*

Important Instructions

1. The State Government/ UT/ Directorate of Technical Education/ Directorate of Medical Education shall ensure that 10% of reservation for Economically Weaker Section (EWS) as per the reservation policy for admission, operational from the Academic year 2019-20 is implemented without affecting the reservation percentages of SC/ ST/ OBC/ General. However, this would not be applicable in the case of Minority Institutions referred to the Clause (1) of Article 30 of Constitution of India. Such Institution shall be permitted to increase in annual permitted strength over a maximum period of two years.
2. The Institution offering courses earlier in the Regular Shift, First Shift, Second Shift/Part Time now amalgamated as total intake shall have to fulfil all facilities such as Infrastructure, Faculty and other requirements as per the norms specified in the Approval Process Handbook 2021-22 for the Total Approved Intake. Further, the Institutions Deemed to be Universities/ Institutions having Accreditation/ Autonomy status shall have to maintain the Faculty: Student ratio as specified in the Approval Process Handbook.
3. Strict compliance of Anti-Ragging Regulation, Establishment of Committee for SC/ ST, Establishment of Internal Complaint Committee (ICC), Establishment of Online Grievance Redressal Mechanism, Barrier Free Built Environment for disabled and elderly persons, Fire and Safety Certificate should be maintained as per the provisions made in Approval Process Handbook and AICTE Regulation notified from time to time.
4. In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Prof. Rajive Kumar
Member Secretary, AICTE

Copy ** to:

1. The Director of Technical Education**, Uttar Pradesh
2. The Principal / Director,
M. M. I. T., AURAIYA
Sehud, Auraiya,
Sehud, Auraiya,
Uttar Pradesh, 206244
3. The Secretary / Chairman,
SEHUD, AURAIYA
SEHUD, AURAIYA
Uttar Pradesh, 206244
4. The Regional Officer,
All India Council for Technical Education
Govt. Polytechnic Campus
Adjoining Directorate of Technical Education
Vikas Nagar, Kanpur-208 002, Uttar Pradesh
5. Guard File(AICTE)


प्रधानाचार्य
एमओ आईटी
दिल्लियापुर (औरैया)

Note: Validity of the Course details may be verified at <http://www.aicte-india.org/>

** Individual Approval letter copy will not be communicated through Post/Email. However, consolidated list of Approved Institutions(bulk) will be shared through official Email Address to the concerned Authorities mentioned above.

This is a computer generated Statement. No signature Required